

CLAMPS-N-CLAMPS


(Mfg., Suppliers & Exporters: Nylon Cable Ties, Stainless Steel Cable Ties, Cable Lugs, Electrical Parts & Accessories)

Our Manufacturing range of Nylon Cable Ties & Stainless Steel Cable Ties which includes product like Color Cable Ties, Marker Cable Ties, Cable Lugs, Cable Glands, Spiral Wrap Tubes, Wire Insulation Tapes, with all Electrical tools & accessories.

Our low cost, easy to use Cable Ties are available in variety of sizes from 100 mm (4") to 1200 mm (48") with our standard width options to meet wide range of customer requirement & demands. With years of field data on our side, we can proudly say that these Cable Ties are extremely durable even in rugged environmental condition. Over the years, our primary focus of providing low cost Cable Ties with superior quality has allowed us to serve customer all over the world. Their good feedback and satisfaction has further fuelled our endeavor to continuously innovate and exceed customer expectations.

During our long tenure, we have served variety of business industries such as Solar Panels, Electrical & Electronics, Automotive, Aviation Sector, Ship Building, Oil and Gas, Logistics, Retail Chain Stores, etc.

Please feel free to reach out to us to experience our great customer service and high quality product – www.clampsnclamps.com



White Cable Ties

- **Material:** Nylon – 66 Grade Material
- **Flammability Rating:** UL 94V-2
- **Features:** Non releasable cable ties used for cable / wire bundling. It has self-locking system to ensure easy & fast installation.
- **Operating Temperature:** -40° C to +90° C
- **Color:** Natural White
- **Test Certificate:** UL Certified / ROHS compliance



Black Cable Ties

- **Material:** Nylon - 66 Grade Cable Ties
- **Flammability Rating:** UL 94V-2
- **Features:** Non releasable cable ties used for cable / wire bundling. It has self-locking system to ensure easy & fast installation. Carbon black is considered as UV absorber because it takes a high energy UV rays & converts them into heat before they damage the polymer resin and it is highly recommended for outdoor weather resistance.
- **Operating Temperature:** -40° C to +90° C
- **Color:** Natural Black
- **Test Certificate:** UL Certified / ROHS compliance



Color Cable Ties

- **Material:** Nylon – 66 Grade Cable Ties – Mix Colors
- **Flammability Rating:** UL 94V-2
- **Features:** Non releasable cable ties used for cable / wire bunching systems. It has self-locking system to ensure easy & fast installation. These types of cable ties generally used for color coding for wire identification & also for identifications of different products.
- **Operating Temperature:** -40° C to +90° C
- **Color:** Red, Yellow, Blue, Green, Grey, Orange
- **Test Certificate:** UL Certified / ROHS compliance



STANDARD SIZE CHART FOR NYLON CABLE TIES

Code	Standard Sizes		In Inch	Thickness (mm)	Tensile Strength (upto Kgs)	Operating Temp.	Packing per packet	Master box
	Length (mm)	Width (mm)						
CNC 01	100	2.5	4"	1.1	8	-40°C to + 90° C	100 pcs	500 bags
CNC 02	120	2.5	5"	1.1	8	-40°C to + 90° C	100 pcs	500 bags
CNC 03	150	2.5	6"	1.1	8	-40°C to + 90° C	100 pcs	400 bags
CNC 04	160	2.5	6.5"	1.1	8	-40°C to + 90° C	100 pcs	400 bags
CNC 05	200	2.5	8"	1.1	8	-40°C to + 90° C	100 pcs	250 bags
CNC 06	100	3.6	4"	1.40	18	-40°C to + 90° C	100 pcs	250 bags
CNC 07	120	3.6	5"	1.40	18	-40°C to + 90° C	100 pcs	250 bags
CNC 08	150	3.6	6"	1.40	18	-40°C to + 90° C	100 pcs	250 bags
CNC 09	200	3.6	8"	1.40	18	-40°C to + 90° C	100 pcs	200 bags
CNC 10	250	3.6	10"	1.40	18	-40°C to + 90° C	100 pcs	150 bags
CNC 11	300	3.6	12"	1.40	18	-40°C to + 90° C	100 pcs	125 bags
CNC 12	370	3.6	15"	1.40	18	-40°C to + 90° C	100 pcs	100 bags
CNC 13	200	4.8	8"	1.50	24	-40°C to + 90° C	100 pcs	150 bags
CNC 14	250	4.8	10"	1.50	24	-40°C to + 90° C	100 pcs	125 bags
CNC 15	300	4.8	12"	1.50	24	-40°C to + 90° C	100 pcs	100 bags
CNC 16	350	4.8	14"	1.50	24	-40°C to + 90° C	100 pcs	80 bags
CNC 17	370	4.8	15"	1.50	24	-40°C to + 90° C	100 pcs	80 bags
CNC 18	380	4.8	15"	1.50	24	-40°C to + 90° C	100 pcs	80 bags
CNC 19	400	4.8	16"	1.50	24	-40°C to + 90° C	100 pcs	80 bags
CNC 20	450	4.8	18"	1.50	24	-40°C to + 90° C	100 pcs	50 bags
CNC 21	500	4.8	20"	1.50	24	-40°C to + 90° C	100 pcs	50 bags
CNC 22	650	4.8	26"	1.50	24	-40°C to + 90° C	100 pcs	40 bags
CNC 23	760	4.8	30"	1.50	24	-40°C to + 90° C	100 pcs	40 bags
CNC 24	200	7.2	8"	1.65	35	-40°C to + 90° C	100 pcs	50 bags
CNC 25	250	7.2	10"	1.65	35	-40°C to + 90° C	100 pcs	50 bags
CNC 26	300	7.2	12"	1.65	35	-40°C to + 90° C	100 pcs	50 bags
CNC 27	350	7.2	14"	1.65	35	-40°C to + 90° C	100 pcs	40 bags
CNC 28	400	7.2	16"	1.65	35	-40°C to + 90° C	100 pcs	40 bags
CNC 29	450	7.2	18"	1.65	35	-40°C to + 90° C	100 pcs	25 bags
CNC 30	500	7.2	20"	1.65	35	-40°C to + 90° C	100 pcs	25 bags
CNC 31	530	7.2	21"	1.65	35	-40°C to + 90° C	100 pcs	25 bags
CNC 32	550	7.2	22"	1.65	35	-40°C to + 90° C	100 pcs	25 bags
CNC 33	200	7.6	8"	1.70	40	-40°C to + 90° C	100 pcs	50 bags
CNC 34	250	7.6	10"	1.70	40	-40°C to + 90° C	100 pcs	50 bags
CNC 35	300	7.6	12"	1.70	40	-40°C to + 90° C	100 pcs	50 bags
CNC 36	350	7.6	14"	1.70	40	-40°C to + 90° C	100 pcs	40 bags
CNC 37	370	7.6	15"	1.70	40	-40°C to + 90° C	100 pcs	40 bags
CNC 38	400	7.6	16"	1.70	40	-40°C to + 90° C	100 pcs	40 bags
CNC 39	450	7.6	18"	1.70	40	-40°C to + 90° C	100 pcs	25 bags
CNC 40	500	7.6	20"	1.70	40	-40°C to + 90° C	100 pcs	25 bags
CNC 41	550	7.6	22"	1.70	40	-40°C to + 90° C	100 pcs	25 bags
CNC 42	400	9.0	16"	2.0	60	-40°C to + 90° C	100 pcs	25 bags
CNC 43	450	9.0	18"	2.0	60	-40°C to + 90° C	100 pcs	20 bags
CNC 44	500	9.0	20"	2.0	60	-40°C to + 90° C	100 pcs	20 bags
CNC 45	550	9.0	22"	2.0	60	-40°C to + 90° C	100 pcs	20 bags
CNC 46	600	9.0	24"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 47	650	9.0	26"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 48	700	9.0	28"	2.0	60	-40°C to + 90° C	100 pcs	10 bags

Part No.	Standard Sizes		In Inch	Thickness (mm)	Tensile Strength (Kgs)	Operating Temp.	Packing per packet	Packages / Master box
	Length (mm)	Width (mm)						
CNC 49	720	9.0	29"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 50	750	9.0	30"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 51	800	9.0	32"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 52	850	9.0	34"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 53	900	9.0	36"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 54	1000	9.0	40"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 55	1200	9.0	48"	2.0	60	-40°C to + 90° C	100 pcs	10 bags
CNC 56	600	12	24"	2.40	75	-40°C to + 90° C	100 pcs	10 bags
CNC 57	650	12	26"	2.40	75	-40°C to + 90° C	100 pcs	10 bags

CLAMPS-N-CLAMPS

The Office

68, Universal Industrial Estate, I.B Patel Road,
Goregaon East, Mumbai – 400063,INDIA.

Tel – 022-26858686

Mob - 9773672076

E-mail - sales@clampsnclamps.com / sales2msc@gmail.com

Web - www.clampsnclamps.com

GALLERY

